

VERTEBRATE ANIMALS OF YELLAGONGA AND JOONDALUP

Prepared by Mandy Bamford

Photographs by Gary Tate

Edited by David Ammon

2016

With thanks to both subscribers for their valuable contributions



VERTEBRATE ANIMALS OF YELLAGONGA AND JOONDALUP

Prepared by Mandy Bamford

Frogs

Motorbike Frog *Litoria moorei*
Slender Tree Frog *Litoria adelaidensis*
Moaning Frog *Heleioporus eyrei*
Pobblebonk or Banjo Frog *Limnodynastes dorsalis*
Clicking Frog *Crinia glauerti*
Squelching Frog *Crinia insignifera*

Skinks

South-west Cool Skink *Acritoscincus trilineatum*
Buchanan's snake-eyed Skink *Cryptoblepharus buchananii*
Limestone Ctenotus *Ctenotus australis*
West Coast Ctenotus *Ctenotus fallens*
Jewelled Ctenotus *Ctenotus gemmula*
Odd-striped Ctenotus *Ctenotus impar*
Western Slender-bluetongue *Cyclodomorphus celatus*
King's Skink *Egernia kingii*
Mourning Skink *Egernia luctuosa*
Salmon-bellied Skink *Egernia napoleonis*
Lowlands Earless Skink *Hemiernis peronii*
Two-toed Skink *Hemiernis quadrilineata*
Four-toed Lerista *Lerista elegans*
Line-spotted Lerista *Lerista lineopunctulata*
Western Worm Lerista *Lerista praepedita*
Common Dwarf Skink *Menetia greyii*
Spotted Morethia *Morethia lineoocellata*
Shrubland Morethia *Morethia obscura*
Western Bluetongue *Tiliqua occipitalis*
Bobtail *Tiliqua rugosa*

Snakes

Typhlopidae (blind snakes)

Southern Blind Snake *Ramphotyphlops australis*
Fat Blind Snake *Ramphotyphlops pinguis*

Boidae (pythons)

Carpet Python *Morelia spilota imbricata*

Elapidae (front-fanged snakes)

Half-ringed Snake *Brachyuropsis semifasciata*
Narrow Banded Snake *Brachyuropsis fasciolata*
Yellow-faced Whip-Snake *Demansia psammophis*
Bardick *Echiopsis curtus*
Black-naped Snake *Neelaps bimaculatus*
Black-striped Snake *Neelaps calonotos*
Tiger Snake *Notechus scutatus*
Dugite *Pseudonaja affinis*
Gould's Snake *Parasuta gouldii*

Jan's Bandy-Bandy *Simoselaps bertholdi*

Birds

Dromaiidae (emus)

Emu *Dromaius novaehollandiae*

Phasianidae (pheasants and quails)

Stubble Quail *Coturnix pectoralis*

Anatidae (ducks, geese and swans)

Freckled Duck *Stictonetta naevosa*

Domestic Goose int *Anser anser*

Black Swan *Cygnus atratus*

Australian Shelduck *Tadorna tadornoides*

Muscovy Duck int *Cairina moschata*

Mallard int *Anas platyrhynchos*

Muscovy/Mallard hybrid int NA

Pacific Black Duck *Anas superciliosus*

Grey Teal *Anas gibberifrons*

Chestnut Teal *Anas castanea*

Australasian Shoveler *Anas rhynchotis*

Pink-eared Duck *Malacorhynchus membranaceus*

Hardhead (White-eyed Duck) *Aythya australis*

Australian Wood Duck *Chenonetta jubata*

Musk Duck *Biziura lobata*

Blue-billed Duck *Oxyura australis*

Podicipididae (grebes)

Great Crested Grebe *Podiceps cristatus*

Hoary-headed Grebe *Poliiocephalus poliocephalus*

Australasian Grebe *Tachybaptus novaehollandiae*

Columbidae (pigeons and doves)

Rock Dove (Domestic Pigeon) *Columba livia*

Laughing Dove *Streptopelia senegalensis*

Spotted Dove *Streptopelia chinensis*

Common Bronzewing *Phaps chalcoptera*

Brush Bronzewing *Phaps elegans*

Crested Pigeon *Ocyphaps lophotes*

Podargidae (frogmouths)

Tawny Frogmouth *Podargus strigoides*

Caprimulgidae (nightjars)

Spotted Nightjar *Eurostopodus argus*

Aegothelidae (owlet-nightjars)

Australian Owlet-nightjar *Aegotheles cristatus*

Apodidae (swifts)

Fork-tailed Swift *Apus pacificus*

Anhingidae (darters)

Darter *Anhinga melanogaster*

Phalacrocoracidae (cormorants)

Great Cormorant *Phalacrocorax carbo*

Pied Cormorant *Phalacrocorax varius*

Little Black Cormorant *Phalacrocorax sulcirostris*

Little Pied Cormorant *Phalacrocorax melanoleucos*

Pelecanoididae (pelicans)

Australian Pelican *Pelecanus conspicillatus*

Ardeidae (herons and egrets)

Australasian Bittern *Botaurus poiciloptilus*

Australian Little Bittern *Ixobrychus dubius*

Black Bittern *Ixobrychus flavicollis subsp. australis*

White-faced Heron *Egretta novaehollandiae*

White-necked Heron *Ardea pacifica*

Great Egret *Ardea alba*

Cattle Egret *Ardea ibis*

Little Egret *Egretta garzetta*

Eastern Reef Egret *Egretta sacra*

Nankeen Night Heron *Nycticorax caledonicus*

Threskionithidae (ibis and spoonbills)

Glossy Ibis *Plegadis falcinellus*

Australian White Ibis *Threskiornis molucca*

Straw-necked Ibis *Threskiornis spinicollis*

Yellow-billed Spoonbill *Platalea flavipes*

Accipitridae (kites, hawks and eagles)

Eastern Osprey *Pandion cristatus*

Black-shouldered Kite *Elanus axillaris*

Square-tailed Kite *Lophoictinia isura*

Whistling Kite *Haliastur sphenurus*

White-bellied Sea-Eagle *Haliaeetus leucogaster*

Spotted Harrier *Circus assimilis*

Swamp Harrier *Circus approximans*

Brown Goshawk *Accipiter fasciatus*

Collared Sparrowhawk *Accipiter cirrhocephalus*



Accipitridae (kites, hawks and eagles)

Wedge-tailed Eagle *Aquila audax*

Little Eagle *Hieraaetus morphnoides*

Falconidae (falcons)

Peregrine Falcon *Falco peregrinus*

Australian Hobby *Falco longipennis*

Brown Falcon *Falco berigora*

Nankeen Kestrel *Falco cenchroides*

Rallidae (crakes and rails)

Buff-banded Rail *Rallus philippensis*

Baillon's Crake *Porzana pusilla*

Australian Spotted Crake *Porzana fluminea*

Spotless Crake *Porzana tabuensis*

Dusky Moorhen *Gallinula tenebrosa*

Purple Swampphen *Porphyrio porphyrio*

Eurasian Coot *Fulica atra*

Otididae (bustards)

Australian Bustard *Ardeotis australis*

Haematopodidae (oystercatchers)

Australian Pied Oystercatcher *Haematopus longirostris*

Sooty Oystercatcher *Haematopus fuliginosus*

Recurvirostridae (stilts and avocets)

Black-winged Stilt *Himantopus himantopus*

Banded Stilt *Cladorhynchus leucocephalus*

Red-necked Avocet *Recurvirostra Novaehollandiae*

Charadriidae (lapwings and plovers)

Grey Plover *Pluvialis squatarola*

Lesser Sand Plover *Charadrius mongolus*

Red-capped Plover *Charadrius ruficapillus*

Black-fronted Dotterel *Elseyaornis melanops*

Red-kneed Dotterel *Erythrogonys cinctus*

Hooded Plover *Thinornis rubricollis*

Banded Lapwing *Vanellus tricolor* ✓

Scolopacidae (sandpipers and stints)

Bar-tailed Godwit *Limosa lapponica*

Marsh Sandpiper *Tringa stagnatalis*

Scolopacidae (sandpipers and stints)

Common Greenshank *Tringa nebularia*
Wood Sandpiper *Tringa glareola*
Common Sandpiper *Tringa hypoleucos*
Ruddy Turnstone *Arenaria interpres*
Sanderling *Calidris alba*
Red-necked Stint *Calidris ruficollis*
Long-toed Stint *Calidris subminuta*
Sharp-tailed Sandpiper *Calidris acuminata*
Curlew Sandpiper *Calidris ferruginea*

Turnicidae (button-quails)

Painted Button-quail *Turnix varia*

Laridae (gulls and terns)

Fairy Tern *Sternula nereis*
Caspian Tern *Sterna caspia*
Whiskered Tern *Chlidonias hybrida*
Crested Tern *Sterna bergii*
Pacific Gull *Larus pacificus*
Silver Gull *Larus novaehollandiae* ✓

Cacatuidae (cockatoos)

Baudin's Black -Cockatoo *Calyptorhynchus baudinii*
Carnaby's Black-Cockatoo *Calyptorhynchus latirostris*
Forest Red-tailed Black-Cockatoo
Calyptorhynchus banksii naso
Galah *Cacatua roseicapilla*
Long-billed Corellai *Cacatua tenuirostris*
Western Corella *Cacatua pastinator*
Little Corella *Cacatua sanguinea*
Sulphur-crested Cockatoo int *Cacatua galarita*

Psittacidae (lorikeets and parrots)

Rainbow Lorikeet int *Trichoglossus haematodus*
Purple-crowned Lorikeet *Glossopsitta porphyrocephala*
Regent Parrot *Polytelis anthopeplus*
Western Rosella *Platycercus icterotis*
Australian Ringneck *Barnardius zonarius*
Red-capped Parrot *Purpureicephalus spurius*
Rock Parrot *Neophema petrophila*
Elegant Parrot *Neophema elegans*

Cuculidae (cuckoos)

Fan-tailed Cuckoo *Cacomantis flabelliformis*
Pallid Cuckoo *Cuculus pallidus*
Horsfield's Bronze-Cuckoo *Chrysococcyx b li*

Shining Bronze-Cuckoo *Chrysococcyx lucidus*

Strigidae (hawk-owls)

Southern Boobook *Ninox novaeseelandiae*

Tytonidae (barn owls)

Barn Owl *Tyto alba*

Halcyonidae (forest kingfishers)

Sacred Kingfisher *Todiramphus sanctus*

Laughing Kookaburra *Dacelo novaeguineae*

Meropidae (bee-eaters)

Rainbow Bee-eater *Merops ornatus*

Maluridae (fairy-wrens)

Splendid Fairy-wren *Malurus splendens*

Variegated Fairy-wren *Malurus lamberti*

White-winged Fairy-wren *Malurus leucopterus*

Southern Emu-wren *Stipiturus malachurus*

Pardalotidae (pardalotes)

Striated Pardalote *Pardalotus striatus*

Spotted Pardalote *Pardalotus punctatus*

White-browed Scrubwren *Sericornis frontalis*

Weebill *Smicrornis brevirostris*

Western Gerygone *Gerygone fusca*

Inland Thornbill *Acanthiza apicalis*

Western Thornbill *Acanthiza inornata*

Yellow-rumped Thornbill *Acanthiza chrysorrhoa*

Meliphagidae (honeyeaters)

Red Wattlebird *Anthochaera carunculata*

Western Wattlebird *Anthochaera lunulata*

Yellow-throated Minor *Manorina flavigula*

Singing Honeyeater *Lichenostomus virescens*

Brown Honeyeater *Lichmera indistincta*

White-naped honeyeater *Melithreptus lunatus*

White-cheeked Honeyeater *Phylidonyris nigra*

New Holland Honeyeater *Phylidonyris novaehollandiae*

Tawny-crowned Honeyeater *Phylidonyris melanops*

Meliphagidae (honeyeaters)

Western Spinebill *Acanthorhynchus ili*

White-fronted Chat *Epthianura albifrons*



Petroicidae (Australian robins)

Scarlet Robin *Petroica multicolor*
Red-capped Robin *Petroica goodenovii*
Hooded Robin *Melanodryas cucullata*
White-breasted Robin *Eopsaltria georgiana*

Acrocephalidae (reed-warblers)

Australian Reed-Warbler *Acrocephalus australis*

Megaluridae (grassbirds)

Little Grassbird *Megalurus gramineus*
Rufous Songlark *Cincloramphus mathewsi*
Brown Songlark *Cincloramphus cruralis*

Zosteropidae (white-eyes)

Silvereye *Zosterops lateralis*

Pachycephalidae (whistlers)

Golden Whistler *Pachycephala pectoralis*
Rufous Whistler *Pachycephala rufiventris*
Grey Shrike-thrush *Colluricincla harmonica*
Crested Bellbird *Oreioca gutturalis*
Crested Shrike-tit *Falcunculus frontatus subsp. leucogaster*

Dicruridae (flycatchers)

Magpie-lark *Grallina cyanoleuca*
Grey Fantail *Rhipidura fuliginosa*
Willie Wagtail *Rhipidura leucophrys*

Neosittidae (sittella)

Varied Sittella *Daphoenositta chrysoptera*

Campephagidae (cuckoo-shrikes)

Black-faced Cuckoo-shrike *Coracina novaehollandiae*
White-winged Triller *Lalage sueurii*

Artamidae (woodswallows)

Black-faced Woodswallow *Artamus cinereus*
Dusky Woodswallow *Artamus cyanopterus*
Grey Butcherbird *Cracticus torquatus*
Australian Magpie *Gymnorhina tibicen*

Corvidae (ravens and crows)

Australian Raven *Corvus coronoides*

Motacillidae (pipits and true wagtails)

Australian Pipit *Anthus novaeseelandiae*

Dicaeidae (flower-peckers)

Mistletoebird *Dicaeum hirundinaceum*

Hirundinidae (swallows)

White-backed Swallow *Cheramoeca*

Welcome Swallow *Hirundo neoxena*

Fairy Martin *Petrochelidon ariel*

Tree Martin *Petrochelidon nigricans*

Mammal Species

Monotremes: echidnas

Echidna *Tachyglossus aculeatus*

Marsupials: (Dasyuridae)

Chuditch *Dasyurus geoffroii*

White-tailed Dunnart *Sminthopsis granulipes*

Grey-bellied Dunnart *Sminthopsis griseoventer*

Peramelidae (bandicoots)

Quenda or Brown Bandicoot *Isodon obesulus*

Phalangeridae (brush-tail possums)

Brush-tailed Possum *Trichosurus vulpecula*

Tarsipedidae (honey possum)

Honey Possum *Tarsipes rostratus*

Macropodidae (kangaroos and wallabies)

Western Grey Kangaroo *Macropus fuliginosus*

Brush or Black-gloved Wallaby *Macropus irma*

Eutherian Mammals

Mollosidae (moustiff bats)

White-striped Bat *Tadarida australis*

Western Freetail Bat *Mormopterus planiceps*

Vespertilionidae (vesper bats)

King River Eptesicus *Vespadelus (Eptesicus) regulus*

Gould's Wattled Bat *Chalinolobus gouldii*

Chocolate Wattled Bat *Chalinolobus morio*

Lesser Long-eared Bat *Nyctophilus geoffroyi*

Greater Long-eared Bat *Nyctophilus major*

Muridae (rats and mice)

House Mouse int *Mus musculus* ✓

Rakali or Water-rat *Hydromys chrysogaster*

Noodji or Ashy-grey Mouse *Pseudomys albocinereus*

Moodit or Bush-Rat *Rattus fuscipes*

Black Rat int *Rattus rattus*

Leporidae (rabbits and hares)

Rabbit int *Oryctolagus cuniculus*

Canidae (foxes and dogs)

European Red Fox int *Vulpes vulpes*

Felidae (cats)

Feral Cat int *Felis catus*





